

REQUEST FOR QUOTATION: SUPPLY AND INSTALLATION OF THE MMH ECHOCARDIOGRAPH MACHINE

1.0 INTRODUCTION

The Mater Misericordiae hospital seeks for qualified bidders to Supply and Installation of a **High end Echocardiograph Equipment** Standalone) – for use in the Cardiac clinic as per the tabled specifications.

NOTICES

Kindly take note of the following:

I. Submission of Bids

- Bidders are expected to submit two separate bids: Technical bid – one original copy Financial bid – one original copy
- Completed RFQ documents are to be enclosed in plain sealed envelopes, marked and clearly Labeled with the instructions "Do not open before Wednesday, 9th December, 2020at 1600 hours (East Africa Time). The bids will be dropped in the tender box on 3rd floor (Do not email your bids). The bids will be:

Addressed to THE CHIEF EXECUTIVE OFFICER THE MATER HOSPITAL P. O. BOX 30325 - 00100, <u>NAIROBI</u>

- Dropped at the Tender Box located at the reception of the Administration Block, 3rd Floor
- Due to the Covid-19 Regulations, The Hospital will not allow the bidders to attend bids Opening process. However, a copy of opening minutes can be shared with on request.
- II. For any clarifications or enquiries, you are requested kindly contacts Procurement Department on:

0732163025 or 0732163281 or 0732163203

2.0 EVALUATION CRITERIA

The Mater Hospital will consider the following five categories of criteria to evaluate the RFQ.

- Stage 1. Compliance to Mandatory requirement
- Stage 2. Compliance to the specifications
- Stage 3. Compliance to technical requirements on capacity to deliver the contract.
- Stage 4. Financial evaluation
- Stage 5. Due Diligence

3.0 MANDATORY REQUIREMENTS

- i. Copy of a company or firm's registration / Incorporation certificate.
- ii. Copy of a valid tax compliance certificate.
- iii. CR 12 that is not older than 3 months.
- iv. PIN Certificate
- v. Copy of valid Business permit
- vi. Manufacturer's authorization Certificate for the Echocardiograph Machine.
- vii. Business questionnaire duly completed, signed and stamped.

Important Note: The Bidders who do not satisfy any of the above mandatory requirements shall be considered as non-responsive and will not be evaluated further.

4.0TECHNICAL REQUIREMENTS

The tabled technical requirements will form basis of evaluation criteria and awarding of marks.

No.	Technical Requirements	YES/NO
I	Experience: Your brief company profile should list down at least 2 reputable organizations that you have supplied with the Echocardiograph Equipment in the last three years. Reference checks will be conducted. Attach Evidence of supply (Recommendation letters/Certificates).	
II.	Educational and other Qualifications for Technical Staff Provide CVs and experience of at least 2 technical staff proposed to support the Hospital in event of award.	
III.	 Customer service and maintenance. i. Draft of Service Level Agreement with terms and conditions of engagement ii. List of Relevant spare parts (<i>Kindly attach the draft copy-this must be provided</i>) 	
IV.	Provide copies of the Audited Accounts for the last two years. (2018 and 2019)	

Important note: Bidders that submit all of the above requirements will proceed to the financial level.

5.0 TECHNICAL SPECIFICATIONS

Note:

- > Any machine quoted must meet the below outlined minimum requirements/specifications. Only bidders that meet 100% of the below specification would proceed to the technical evaluation
- > You are required to quote for all items included in the specifications.
- > Any specification that is not available in the machine on offer should be clearly stated in the comments column.
- > If all the specifications per bullet are met, kindly note in the remarks column.
- > Any proposal that does not clearly indicate the availability of the minimum specifications listed below as instructed above may be disqualified.
- > Additional specifications can be listed on a separate attachment or in the comments column. This will be an added advantage.

No.	Description	Comments (Kindly note any specs not available in this column)	Remarks (Kindly state here if all specs are met)
	The equipment should be a High End state of the art Color Doppler system		
	with full digital technology applications for full cardiac and peripheral		
	vascular applications for adult, pediatric, & Foetal applications. This		
	equipment should offer better resolution & penetration of images. It should be		
	2Dand 3D System upgradable to the next generation system. System should		
	be DICOM ready and capable of being interfaced with HIS/RIS/PACS.		
1.	Power: 100-240Vac 50Hz		
2.	Mobile unit with brakes.		
3.	Display screen: 19		
4.	User defined system & application presets for multi-user department.		
5.	Patient data input, review & editing of complete patient studies.		
6.	Transducer ports: 3 or more.		

7	Real time compounding	
8.	Adaptive image processing for noise and artifact reduction	
9.	Ergonomic transducers designs with lightweight flexible cables	
10.	System should have automatic scanning feature that continually optimizes	
	the image	
11.	System should have intelligent Tissue Specific Imaging	
12.	Dicom 3.0 print and store capability to internal drive or DVD/CD/USB	
13	System should have software to enable viewing of DICOM images on a PC	
14.	Integrated DVD/CD burning capability for storage of DICOM images or	
	export in JPEG for Pc. Or USB	
15.	Clinical Application software:	
	Adult echocardiography	
	Pediatric Echocardiography	
	Neonatal Echocardiograph	
	• Peripheral vascular application.	
	• Foetal application	
16.	Imaging Modes	
	2D and 3D	
	Should have B colour doppler	
17.	System should have Tissue Doppler Imaging [TDI]	
18.	Should have spectrial Doppler	
19	Should have Stress Echo	
20	Should have Contrast Echo	
21	Should have valve interrogation program	
22	Measurements and Calculations	
	Adult Echo Cardiac Analysis	
	Pediatric Echo Cardiac Analysis	
	Feotal Echo cardiac Analysis	
	• Live [on screen] automatic Doppler analysis	
	• Volume Flow measurements	
	 Adult Echo Cardiac Analysis Pediatric Echo Cardiac Analysis Feotal Echo cardiac Analysis Full cardiac calculation package Live [on screen] automatic Doppler analysis 	

23.	Echocardiograph probes:
	• Pediatric sector transducer [3-8 MHz]
	Adult sector transducer [1-5MHz]
24.	Other probes: Linear array
25.	ECG facility should be included
26.	Peripheral Accessories:
	• A6 B/W thermal printer
	High quality Laser printer
	• DVD drive. CD/DVD produced should be playable on any system.
	• USB
27.	Safety:
	CE /FDAmarked
	Electrical /Electronic safety
32.	User training: Application Specialist training
33.	Warranty:

6.0 FINANCIAL PROPOSAL

PRICE SCHEDULE FOR SUPPLY, INSTALLATION AND MAINTENANCE OF THE ECHOCARDIOGRAPH MACHINE

No.	Description	Total Kshs (VAT INCLUSIVE)
1.	The Cost for Supply, Installation and Commissioning of the Echocardiograph machine	
2.	Any other cost	
3.	Price Schedule for the Contract Maintenance for the Echocardiograph machine	
4.	Payment Terms would be 60 Days after Delivery, Installation and Commissioning of the Equipment.	
5.	Training period	
6.	Delivery should be within 4 - 6 weeks	
7.	Warranty Period of the Machine Preferably Two Years and Above	

7.0 REFERENCE CHECK

Reference Check will be conducted for the bidders that proceed for the Financial Evaluation.

8.0 Confidential Business Questionnaire

You are requested to give the particular indicated in Part 1 and either Part 2(a), 2(b), or 2(c)

PART 1. Whichever applies to your type of business

Part	advised that it is a serious offence to give false information or General: s Name	this Form.			
Locatior	n of business premises				
Plot No.	Plot No				
Postal A	Address Tel. No				
Fax	Email				
Nature	of business				
Registra	ation Certificate No				
	Maximum value of business which you can handle at any one time Kshs				
Name o	Name of your bankers Branch				
PART 2(a) – Sole Proprietor: Your name in full Nationality Country of origin Citizenship details					
PART 2((B) – Partnership				
Give det	Give details of partners as follows				
	Name Nationality Citizenship Details	Shares			
1					
2					
3					
4					
5					

PART 2(C) – Registered Company: Private or public State the nominal and issued capital of the company – Nominal Kshs.... Issued Kshs....

Give details of all directors as follows

Name	Nationality	Citizenship Details	Shares	
1.				
2.				
3.				
4.				
5.				
Date				
Signature of Tenderer				
(Authorized Signatory)				

Stamp

If a citizen, indicate under "Citizenship Details" whether by Birth, Naturalization or Registration